

CERTIFIED MAIL:

EPA: P 803 601 578

MDNR: P 803 601 579

June 13, 1988

RECEIVED

U.S. EPA, REGION V
WASTE MANAGEMENT DIVISION
OFFICE OF THE DIRECTOR

Waste Management Division
United States Environmental
Protection Agency - Region V
230 S. Dearborn Street
Chicago, IL 60604

Director
Michigan Dept. Natural Resources
P. O. Box 30028
Lansing, MI 48909

To Whom It May Concern:

Subject: Civil Action 80-73699 Consent Decree

Pursuant to Section IX and V.B.2, of the referenced Consent Decree, provided herewith are the numerical results of groundwater samples taken in March from the wells remaining on the site.

Very truly yours,



H. D. Roush
Manager
Quality and Ecology
Services Department

mh
att.

US EPA RECORDS CENTER REGION 5



406797

CIVIL ACTION 80-73699 - CONSENT DECREE

ANALYTICAL RESULTS FOR
SAMPLES TAKEN

MARCH 1988

| <u>Well No.</u> | <u>Elv. Feet</u> | <u>Concentration (PPb)</u> | | | | | |
|-----------------|------------------|-----------------------------|-------------------|--------------|--------------------------------|-----------|-----------|
| | | <u>Benzo-(a) Pyrene</u> | <u>Napthalene</u> | <u>PCB's</u> | <u>Penta Chloro Phenol</u> | <u>Hg</u> | <u>As</u> |
| A | 574.57 | ND | 44 | - | ND | 47 | 120 |
| B | 574.61 | 1,900 | 3,900 | - | 2,600 | 59 | 520 |
| C | 574.55 | 480 | 540 | - | 390 | 170 | 360 |
| D | 576.40 | - | 710 | - | ND | 660 | 7,200 |
| E | 576.60 | ND | 150 | - | ND | 1,100 | 3,200 |
| F | 577.33 | - | ND | - | - | 11 | 65 |
| G | 577.35 | - | ND | - | ND | ND | 22 |
| H | 573.49 | ND | 21 | - | - | ND | 170 |
| I | 576.77 | 100 | 15 | - | - | ND | 140 |
| J | 576.18 | 460 | 3,200 | - | ND | 550 | 290 |
| K * | 575.19 | ND | 31 | ND | ND | 1,300 | 230 |
| L * | 576.95 | ND | ND | ND | ND | 17 | 30 |
| M * | Dry | - | - | - | - | - | - |

Elevation of the Trenton Channel 574.88 Ft.

*New wells installed September 1987